



# Amazing Animals Fact sheets

## Raptors

Raptors are identified as Birds of Prey that capture their food using their feet. They have three distinguishing features:

large talons (or claws) used for hunting  
very keen eye sight to target prey  
sharp hooked beak for the tearing up of prey once caught

green leaves “ year after year, or even twice in a season, adding to its bulk every time.

Like other kites, the female incubates 2-3 eggs and broods while the male hunts, and passes all food to the chicks when they are young.

Visit us: [www.australiazoo.com/our-animals/amazing-animals](http://www.australiazoo.com/our-animals/amazing-animals)



## Whistling Kite

Gliding slowly at low altitudes, or soaring high in the sky, the Whistling Kite is a graceful bird. It flaps with slow wingbeats and when gliding holds its wings horizontally but bowed downwards at the tip. As it flies it sometimes utters its loud whistling call but it does not twist its tail when manoeuvring.

### Habitat

The Whistling Kite is found throughout Australia, but it is most common in open wooded country near swamps, rivers, or the coast. Although rather sedentary, it will shift about, congregating on eruptions of prey in the inland and leaving during famines. It is also somewhat communal around large kills, but just as often forages alone.

### Diet

Like other kites, it sails about searching for living or dead prey on the ground, swooping down and feeding on it there if it is too large to carry. Although adept at hunting “ small mammals, reptiles, birds, fish, crustaceans and large insects “ it is as much a scavenger, feeding on carrion of any sort including animals killed by traffic on roads.

### Breeding

Whistling Kites are opportunistic breeders, pairs sometimes courting in groups and tolerating on another’s nests in the same tree. Courting birds soaring about the nest tree without spectacular aerial manoeuvres but call much from high exposed perches or in flight. Most pairs return to use the same nest “ of sticks lined with fresh